

One Cambridge Place, 50 Hampshire Street Cambridge, Massachusetts 02139 tel: 617 452-6000 fax: 617 452-8000

June 18, 2004

Mr. Brian Pitt
NPDES Team Leader
Office of Ecosystem Protection
US Environmental Protection Agency
One Congress Street, Suite 1100
Boston, Massachusetts 02114-2023

Subject: Comments on Draft NPDES Permit No. MA0101010

Dear Mr. Pitt:

On behalf of the City of Brockton, CDM is providing comments on the draft permit referenced above. The following is a summary of comments provided by the City, Veolia (the contract operator) and CDM.

- 1. In general, there are many references to a design flow rate of 18.0 mgd, which is the correct flow for the facility upgraded in the 1970's. However, over the coming five year permit duration, this design flow rate will be increased to 20.48 mgd. Language should be added to the permit noting this design flow change.
- 2. On page 2 and 3 of the permit, both mass loading and concentration limits are provided. This is problematic and the City requests that only concentration limits are included in the permit for the following reasons.

The proposed lb/day discharge limitations for average monthly, average weekly and average daily loads are all based on the average annual plant flow of 18.0 mgd, and applied to permit concentration limits. The permit is written such that mass limits govern during flow periods greater than the annual average. Concentration limits govern during flow periods less than the annual average.

The concentration limits are based on water quality requirements established at 7Q10 stream flow conditions. In New England, these conditions and annual average plant flows are not simultaneous occurring events. When the stream flow



approaches 7Q10, the plant flow is substantially less than the annual average. The permit as written requires the highest quality effluent (or lowest concentration) during those periods when stream flows are the highest. Such stringency is not required for meeting water quality standards.

The City requests that the final permit include only concentration based limits. If mass limits must be included, then peaking factors should be provided to account for monthly, weekly, and daily variations.

- 3. On page 3 of 16, the permit refers to a concentration and loading limits for phosphorus and nitrogen but there are no references to the fact that a facility upgrade is underway to meet these limits. Promulgation of this permit, as written, will create a permit violation and initiate a penalty as described in the draft Consent Decree. The permit needs to describe that the phosphorus and nitrogen limits becomes effective at the conclusion of the three phased WWTF Upgrade. A predraft version of the new permit contained a paragraph discussing this issue but has since been removed. Attention regarding this issue needs to be addressed before the permit becomes acceptable to the City.
- 4. On page 3 of 16 of the permit, an average monthly loading limit of 30 lbs/day is provided for phosphorus. This mass loading limit for phosphorus is not consistent with the conditions provided for the phosphorus concentration limit. A rolling average is allowed for concentration reporting but not mass loading reporting. For these reasons, the City request that all loading limits for phosphorus be taken out of the permit.
- 5. On page 3 of 16 of the permit, the copper limit is unreasonably stringent. If the WWTF effluent passes Whole Effluent Toxicity testing, copper should not be of concern. Moreover, studies conducted by DEP in southeastern Massachusetts have indicated that copper limits established per Gold Book criteria are unreasonably stringent. As noted in the Draft Conceptual Design Report dated October 2003, the current upgrade is not being designed for specific copper removals or effluent quality.
- 6. On page 3 of 16, the permit includes an increase in fecal monitoring requirements from 3x per week to 5x per week. The City believes that this is excessive and unnecessary and requests that the monitoring frequency remain at 3x per week.



Disinfection challenges have recently been resolved by the installation of new chemical feed and pacing equipment.

- 7. On page 4 of 16, paragraph 3, the permit refers to flow limits for Abington and Whitman. In the first sentence, it should be noted that these are annual average limits. In addition, the last sentence in this paragraph must be deleted. The City of Brockton should not be responsible for offsetting flow additions from Abington and Whitman. The current Intermunicipal Agreements allow for up to 1 MGD per community with no requirement to offset flow additions up to that limit.
- 8. On page 5 of 16 of the permit, footnote 11 requires that toxicity testing samples be collected in the second week of the stated months, instead of requiring the testing be done in a given quarter. This is unnecessary and inconsistent with the existing permit. Also, the new results submittal requirement could be troublesome if the testing lab has a problem and needs to retest. The result submittal requirement should remain the month following the quarter ending period.
- 9. On page 6 of 16, paragraph 2 of the permit. Clarify and/or define "Director".
- 10. In paragraph I.A.1.f on page 6 of 16 of the permit, there is a requirement to address WWTF influent flow when it exceeds 80 percent of the design flow over 90 consecutive days. This threshold has been exceeded numerous times and engineering reports required to address the concern have been submitted to DEP and EPA. Since the upgraded facilities will be started under this condition, the facilities assessment and conceptual design reports satisfy this requirement. The City requests that this paragraph be removed from the permit.
- 11. On page 9 of 16 of the permit, in the first paragraph under "OPERATION AND MAINTENANCE OF THE SEWER SYSTEM", delete the second sentence and insert therefore:
 - "The permitee and co-permittee shall independently meet the following conditions for those portions of the collection system which it owns and operates."
- 12. On page 10 of 16 of the permit, the title "Reporting Requirements" should be changed to "Independent Reporting Requirements for Brockton, Whitman and Abington".



- 13. On page 12 of 16, paragraph 4.h refers to "fluidized bed incinerator". The Brockton WWTF has a multiple hearth incinerator.
- 14. On page 13 of 16, paragraph j contains language that is too broad and can leave the City open to violations for circumstances beyond the City's control (for example, if a bald eagle nests in the vicinity of the plant). The first sentence should therefore be modified to insert the words "the City becomes aware that" between the words "if" and "it".
- 15. On page 3 of the Fact Sheet, in the section titled FLOW, the second paragraph should be revised to state annual average flow limit of 1.0MGD. Also in this section, it is requested that the second sentence in the third paragraph be deleted. Facilities' planning shows that new connections in the existing service area are minimal and should not have a noticeable impact on total flow to the treatment facility. This requirement is unnecessary and would be a burden on limited resources to enforce.
- 16. On page 4 of the Fact Sheet in the section titled "Conventional Pollutants", BOD₅ limits and reporting has been taken out of the permit. Reference to BOD₅ should be removed from this paragraph.
- 17. On page 5 of the Fact Sheet in the section titled "Total Phosphorus", the last sentence in this section is vague and should either be deleted or modified to be more specific. The City cannot agree to a statement allowing EPA and DEP to set future phosphorus limits as desired. Requiring treatment facility improvements for unknown (future) pollutant limits is unjustifiable. In addition, this issue is discussed on page 9 of Section 1, in the Conceptual Design Report dated October 2003. The City requests that this sentence be removed.
- 18. On page 5 of the Fact Sheet in the section titled "Nitrogen", the last sentence in this section is vague and should either be deleted or modified to be more specific. The City cannot agree to a statement allowing EPA and DEP to set future nitrogen limits as desired. Requiring treatment facility improvements for unknown (future) pollutant limits is unjustifiable. In addition, this issue is discussed on page 9 of Section 1, in the Conceptual Design Report dated October 2003. The City requests that this sentence be removed.



Please contact us if you have any questions regarding the enclosed comments. We are also available to meet at your convenience to discuss the above comments.

Very truly yours,

Gregory A. Roy, P.E.

Principal

Camp Dresser & McKee Inc.

cc: Thomas Plouffe, City Solicitor

J. Condon, Chief Financial Officer

David Norton, Interim DPW Director

Eric Hall, EPA

Jack Hamm, MADEP, Boston

George Olson, P&D Ernie Persechino, Veolia

Patrick D. Hughes, Al Firmin, Bill McConnell, CDM



Governor

JANE SWIFT Lieutenant Governor

COMMONWEALTH OF MASSACHUSETTS EXECUTIVE OFFICE OF ENVIRONMENTAL AFFAIRS DEPARTMENT OF ENVIRONMENTAL PROTECTION

20 RIVERSIDE DRIVE, LAKEVILLE, MA 02347 508-946-2700

BOB DURAND

Secretary

LAUREN A. LISS Commissioner

FAX COVER SHEET

My Fax # 617-292-5883

My Telephone # 617-292-5850

My e-mail Jack. Hamm@state.ma.us

Date: July 1, 2004

From: Jack Hamm

Please Deliver To:

Company Name:

TELECOPY NUMBER

Eric Hall

US EPA

617-918-1810

Total Number of Pages:

(including cover page)

Please Call If You Do Not Receive A Complete Fax

Comments: see e-mail



One Cambridge Place, 50 Hampshire Street Cambridge, Massachusetts 02139 tel: 617 452-6000 fax; 617 452-8000

June 18, 2004

Mr. Brian Pitt
NPDES Team Leader
Office of Ecosystem Protection
US Environmental Protection Agency
One Congress Street, Suite 1100
Boston, Massachusetts 02114-2023

Subject: Comments on Draft NPDES Permit No. MA0101010

Dear Mr. Pitt:

On behalf of the City of Brockton, CDM is providing comments on the draft permit referenced above. The following is a summary of comments provided by the City, Veolia (the contract operator) and CDM.

- 1. In general, there are many references to a design flow rate of 18.0 mgd, which is the correct flow for the facility upgraded in the 1970's. However, over the coming five year permit duration, this design flow rate will be increased to 20.48 mgd. Language should be added to the permit noting this design flow change.
- 2. On page 2 and 3 of the permit, both mass loading and concentration limits are provided. This is problematic and the City requests that only concentration limits are included in the permit for the following reasons.

The proposed lb/day discharge limitations for average monthly, average weekly and average daily loads are all based on the average annual plant flow of 18.0 mgd, and applied to permit concentration limits. The permit is written such that mass limits govern during flow periods greater than the annual average. Concentration limits govern during flow periods less than the annual average.

The concentration limits are based on water quality requirements established at 7Q10 stream flow conditions. In New England, these conditions and annual average plant flows are not simultaneous occurring events. When the stream flow



approaches 7Q10, the plant flow is substantially less than the annual average. The permit as written requires the highest quality effluent (or lowest concentration) during those periods when stream flows are the highest. Such stringency is not required for meeting water quality standards.

The City requests that the final permit include only concentration based limits. If mass limits must be included, then peaking factors should be provided to account for monthly, weekly, and daily variations.

- 3. On page 3 of 16, the permit refers to a concentration and loading limits for phosphorus and nitrogen but there are no references to the fact that a facility upgrade is underway to meet these limits. Promulgation of this permit, as written, will create a permit violation and initiate a penalty as described in the draft Consent Decree. The permit needs to describe that the phosphorus and nitrogen limits becomes effective at the conclusion of the three phased WWTF Upgrade. A predraft version of the new permit contained a paragraph discussing this issue but has since been removed. Attention regarding this issue needs to be addressed before the permit becomes acceptable to the City.
- 4. On page 3 of 16 of the permit, an average monthly loading limit of 30 lbs/day is provided for phosphorus. This mass loading limit for phosphorus is not consistent with the conditions provided for the phosphorus concentration limit. A rolling average is allowed for concentration reporting but not mass loading reporting. For these reasons, the City request that all loading limits for phosphorus be taken out of the permit.
- 5. On page 3 of 16 of the permit, the copper limit is unreasonably stringent. If the WWTF effluent passes Whole Effluent Toxicity testing, copper should not be of concern. Moreover, studies conducted by DEP in southeastern Massachusetts have indicated that copper limits established per Gold Book criteria are unreasonably stringent. As noted in the Draft Conceptual Design Report dated October 2003, the current upgrade is not being designed for specific copper removals or effluent quality.
- 6. On page 3 of 16, the permit includes an increase in fecal monitoring requirements from 3x per week to 5x per week. The City believes that this is excessive and unnecessary and requests that the monitoring frequency remain at 3x per week.



Disinfection challenges have recently been resolved by the installation of new chemical feed and pacing equipment.

- 7. On page 4 of 16, paragraph 3, the permit refers to flow limits for Abington and Whitman. In the first sentence, it should be noted that these are annual average limits. In addition, the last sentence in this paragraph must be deleted. The City of Brockton should not be responsible for offsetting flow additions from Abington and Whitman. The current Intermunicipal Agreements allow for up to 1 MGD per community with no requirement to offset flow additions up to that limit.
- 8. On page 5 of 16 of the permit, footnote 11 requires that toxicity testing samples be collected in the second week of the stated months, instead of requiring the testing be done in a given quarter. This is unnecessary and inconsistent with the existing permit. Also, the new results submittal requirement could be troublesome if the testing lab has a problem and needs to retest. The result submittal requirement should remain the month following the quarter ending period.
- 9. On page 6 of 16, paragraph 2 of the permit. Clarify and/or define "Director".
- 10. In paragraph I.A.1.f on page 6 of 16 of the permit, there is a requirement to address WWTF influent flow when it exceeds 80 percent of the design flow over 90 consecutive days. This threshold has been exceeded numerous times and engineering reports required to address the concern have been submitted to DEP and EPA. Since the upgraded facilities will be started under this condition, the facilities assessment and conceptual design reports satisfy this requirement. The City requests that this paragraph be removed from the permit.
- 11. On page 9 of 16 of the permit, in the first paragraph under "OPERATION AND MAINTENANCE OF THE SEWER SYSTEM", delete the second sentence and insert therefore:
 - "The permitee and co-permittee shall independently meet the following conditions for those portions of the collection system which it owns and operates."
- 12. On page 10 of 16 of the permit, the title "Reporting Requirements" should be changed to "Independent Reporting Requirements for Brockton, Whitman and Abington".

CDM

Mr. Pitt June 18, 2004 Page 4

- 13. On page 12 of 16, paragraph 4.h refers to "fluidized bed incinerator". The Brockton WWTF has a multiple hearth incinerator.
- 14. On page 13 of 16, paragraph j contains language that is too broad and can leave the City open to violations for circumstances beyond the City's control (for example, if a bald eagle nests in the vicinity of the plant). The first sentence should therefore be modified to insert the words "the City becomes aware that" between the words "if" and "it".
- 15. On page 3 of the Fact Sheet, in the section titled FLOW, the second paragraph should be revised to state annual average flow limit of 1.0MGD. Also in this section, it is requested that the second sentence in the third paragraph be deleted. Facilities' planning shows that new connections in the existing service area are minimal and should not have a noticeable impact on total flow to the treatment facility. This requirement is unnecessary and would be a burden on limited resources to enforce.
- 16. On page 4 of the Fact Sheet in the section titled "Conventional Pollutants", BOD₅ limits and reporting has been taken out of the permit. Reference to BOD₅ should be removed from this paragraph.
- 17. On page 5 of the Fact Sheet in the section titled "Total Phosphorus", the last sentence in this section is vague and should either be deleted or modified to be more specific. The City cannot agree to a statement allowing EPA and DEP to set future phosphorus limits as desired. Requiring treatment facility improvements for unknown (future) pollutant limits is unjustifiable. In addition, this issue is discussed on page 9 of Section 1, in the Conceptual Design Report dated October 2003. The City requests that this sentence be removed.
- 18. On page 5 of the Fact Sheet in the section titled "Nitrogen", the last sentence in this section is vague and should either be deleted or modified to be more specific. The City cannot agree to a statement allowing EPA and DEP to set future nitrogen limits as desired. Requiring treatment facility improvements for unknown (future) pollutant limits is unjustifiable. In addition, this issue is discussed on page 9 of Section 1, in the Conceptual Design Report dated October 2003. The City requests that this sentence be removed.



Please contact us if you have any questions regarding the enclosed comments. We are also available to meet at your convenience to discuss the above comments.

Very truly yours,

Gregory A. Roy, P.E

Principal

Camp Dresser & McKee Inc.

cc: Thomas Plouffe, City Solicitor

J. Condon, Chief Financial Officer

David Norton, Interim DPW Director

Eric Hall, EPA

Jack Hamm, MADEP, Boston

George Olson, P&D

Emie Persechino, Veolia

Patrick D. Hughes, Al Firmin, Bill McConnell, CDM